




# MOCCASIN PATTERNS

by GENE NOLAND








#### **ASSEMBLY INSTRUCTION**

#1



Stock No. 2695

## N PATTERNS


**GENE NOLAND** 


Threading ructions

Step 1. Begin by placing the right sole on a working surface with the insole facing up. Align the diamond hole in the vamp with the diamond hole in the sole.

mond hale in the sale.

From the inside of the moccasin, insert the needle through the diamond hale in the vamp, then through the diamond hale in the sale. Pull the needle and thread through to the outside of the moccasin leaving about 4" of thread inside the moccasin.






Insoli


Step 2. Fr sert the r above the


the vamp


snug, but

the overall









Step 1. Push end of thread through needle eye about %".

Step 2. Pierce thread with needle point as

Step 3. Push thread upon needle to eye. Pull end of thread through eye as far as it will go. Hold needle and pull thread over eye to lock end of thread.

HOLES o

ht

HEEL



Step 4. Align the first hole in the heel cuff with the diamond shaped hole in the sole. Stitch through the next hole in the vamp to the inside of the moccasin, and back through the bottom hole in the vamp through the heel cuff and the sole. Continue stitching around the moccasin to the last hole.



Step 5. Insert the needle through in the heel cuff and vamp to the moccesin. The inside of the appear as in illustration "A".

Tie the ends of the thread in a shown in illustration "B" and cu thread.

#### **DIRECTIONS**

Choose a good leather for making your moccasins, one that is durable and soft. You may cut your own insoles if you have the material or use the ones found in the drug stores. Glue the insoles in position on the sole leather as shown.

The heel cuff is made in two parts. One is the cuff part and the other is the heel part. They are indicated in the heel cuff tracing pattern. These two parts are then stitched together for form a drawstring tunnel. If you wish you might add sheep wool to the cuff area or cover the whole heel cuff pattern. If the wool is added to the cuff it should be glued and then stitched on, about 1/16" in along the edge, except for the points at the drawstring tunnel openings.

Draw your Indian designs on It assemble the moccasins. The N Rags I Min work very well on light colleather. If darker leather is used, the coat should be used first to bring or brillience.

If you follow the assembling instrufully, you should not have any pmaking these moccasins.

Start by cutting out the patterns, re to reverse the patterns for the LEFT punch all the holes and draw on the

Then begin your assembling.

INDIAN DESIGN

LACING HI

Right MEDIL HEEL CI



the last hole the inside of the moccasin will

double knot as


sefore you lew "Glad lored suede white bese it the color

ctions careroblems in







rorm a nook. Catch about 4" of the leather drawstring in the hook and insert the wire through the drawstring tunnel and pull the string through, leaving an equal amount of thread on each side for tying and your moccasin is complete.





Step 7. Place the left sole on a working surface with the insole facing up. Align the diamond hole in the vamp with the diamond hole in the sole. Assemble the left moccasin exactly as you did the right one, stitching around the moccasin as shown.


INDIAN DESIGN























and out all the way around to the opposite side. Insert the tips through the plug and draw tight and tie.

### DIRECTIONS

casins, one that is durable and soft. You may cut your own insoles if you have the foam rubber material or use the one found in the drug store. You might even stitch a heavier sole to the bottom.

again in the other bottom hole. Cross

over and up to the opposite upper

hole. Bring the lace to the outside

again and there tie off.

Start by cutting out the design and punch all the holes. Add the Indian design or make

the sole leather as shown.

In lacing these moccasins the tightness of the lace lacing the plug to the sole will help to determine the size and fit of the moccasin. Check moc on foot occasionally as you lace retightened if they become too loose.

are in the plug. In this way it allows the sole at the bottom and come out reversing the tight to fit the foot and your moccasin in leather to gather when laced around the plug. process. Once outside again, cross over to the complete. Lace the other one in like manner.

Choose a good leather for making your moc- Start by joining the plug and sole together at the black dot starting holes on the outside of

Make a knot and then double loop it through the same hole. Now pull the lace over the plug (from the inside to the outside) and under the sole (from outside to inside), then back up through the plug. Do this all the way around your own but do this before you begin to the toe. Use the over and over stitch, pulling the lace tight each time but checking to see if the toes will fit. Tie off at the black dot holes Glue the insole in position on the inside of on the other side. See Fig. 2. NOTE: Keep the the first hole on the cuff and through the first

Next lace the heel tabs together by starting in the top hole of the bottom heel tab. For the LEFT moccasin the outside heel tab should the moccasin. Remember they can always be over the inside heel tab and the bottom heel tab is over both of them. So start your sure there are the same number of holes in the lacing by going through the top hole in the sole being laced. When the lacing is complete, You can use suede lace or a rawhide lace to bottom heel tab, then through the hole in the come through the plug holes on the opposite lace the moccasin. You will notice that the outside heel tab and through the inside heel side so the lace ends up coming out the inside holes in the soles are wider apart than they tab. Cross over and down to the opposite hole hole of the plug for tying. Now draw the lace

other bottom hole and go back through to the inside again. Once inside cross over and up to the other top hole, go through the holes to the outside again and then tie off with a HOLES

INDIAN DESIGN

FOLD LINE

0 10 0 0


DRAWSTRING HOLES


Plue


Start the lace for the cuff through the plug as shown in Fig. 4, leaving about 6" for tying. Lace the cuff on by starting your lace through the inside hole of the plug and out through the outside hole. Now fold the cuff over and insert the lace through from the outside into lace pulled tight as you work but again check each time to see that the toes fit.


hole on the sole and then through the cuff again on the inside part of the cuff as shown in Fig. 4. Weave in and out till you reach the back part of the heel tabs.


There should be a 4 hole overlap at the heel tabs. Count the holes in the cuff and make














Left

**CUFF LECING HOLES** 










#2


Stock No. 2695


## N PATTERNS


GENE NOLAND

Y INSTRUCTIONS
















Fig. 1

Join plug and sole the lace in a knot starting holes. Make the same hole.




Lace all the way arounc weaving in and out till you other black dots in the pluç Tie off with a double knot,




#### Fig. 3


Lace the heel together as shown by inserting the lace through the top hole. Cross over and come out at the bottom on the opposite side, cross over at the bottom, insert the lace again in the other bottom hole. Cross over and up to the opposite upper hole. Bring the lace to the outside again and there tie off.


















#### DIRE

Choose a good leather for making your moccasins, one that is durable and soft. You may cut your own insoles if you have the foam rubber material or use the one found in the drug store. You might even stitch a heavier sole to the bottom.

Start by cutting out the design and punch all the holes. Add the Indian design or make your own but do this before you begin to lace.

Glue the insole in position on the inside of the sole leather as shown.

In lacing these moccasins the tightness of the lace lacing the plug to the sole will help to determine the size and fit of the moccasin. Check moc on foot occasionally as you lace the moccasin. Remember they can always be retightened if they become too loose.

You can use suede lace or a rawhide lace to lace the moccasin. You will notice that the holes in the soles are wider apart than they are in the plug. In this way it allows the sole leather to gather when laced around the plug.

Start by joining the black dot start the sole moccasin.

Make a knot and t the same hole. Nov (from the inside to sole (from outside through the plug. I the toe. Use the o the lace tight each the toes will fit. Ti on the other side. S lace pulled tight as each time to see the

Next lace the heel the top hole of the LEFT moccasin the over the inside heel tab is over belacing by going the bottom heel tab, the outside heel tab at tab. Cross over and at the bottom an process. Once outs

#### **CTIONS**

ie plug and sole together at ing holes on the outside of


hen double loop it through v pull the lace over the plug the outside) and under the to inside), then back up Do this all the way around ver and over stitch, pulling time but checking to see if ie off at the black dot holes see Fig. 2. NOTE: Keep the you work but again check at the toes fit.


tabs together by starting in e bottom heel tab. For the ne outside heel tab should heel tab and the bottom oth of them. So start your rough the top hole in the hen through the hole in the nd through the inside heel down to the opposite hole d come out reversing the ide again, cross over to the


other bottom hole and go back through to the inside again. Once inside cross over and up to the other top hole, go through the holes to the outside again and then tie off with a square knot.


Start the lace for the cuff through the plug as shown in Fig. 4, leaving about 6" for tying. Lace the cuff on by starting your lace through the inside hole of the plug and out through the outside hole. Now fold the cuff over and insert the lace through from the outside into the first hole on the cuff and through the first hole on the sole and then through the cuff again on the inside part of the cuff as shown in Fig. 4. Weave in and out till you reach the back part of the heel tabs.


There should be a 4 hole overlap at the heel tabs. Count the holes in the cuff and make sure there are the same number of holes in the sole being laced. When the lacing is complete, come through the plug holes on the opposite side so the lace ends up coming out the inside hole of the plug for tying. Now draw the lace tight to fit the foot and your moccasin in complete. Lace the other one in like manner.






















## PATTERNS


**E NOLAND** 

# hreading actions


ep 1. Push end of thread through edle eye about ½".












#### **ASSEMBLY IN**

Fig. 1




With a saddle stitch, stitch the tongue to the vamp. Place the tongue leather under or on the inside of the vamp.

Fig. 2



Stitch the cuff c at the top edge a across with the sa

Fig. 4



ep 2. Pierce thread with needle point shown.

ep 3. Push thread upon needle to e. Pull end of thread through eye as as it will go. Hold needle and pull read over eye to lock end of thread.

#### **STRUCTIONS**



on the vamp, starting nd stitch all the way ddle stitch.



Now fold the cuff over and down on the outside and stitch across to form a drawstring tunnel. Do this with a saddle stitch.

OUTSIDE


### MEDIUM CUFF INSIDE SAME AS OUTSIDE BUT NO

STITCH LINE

STITCH LINE

CÙTLINE

(RE





OUTSIDE


LARGE CUFF INSIDE SAME AS OUTSIDE BUT NO DRA

Fig. 5










ING HOLE

ING HOLE



Start at the heel of the moccasin, the third hole over on the outside of the foot, leaving about 9" of thread remaining to finish the heel later. From the inside of the vamp insert the thread through the bottom hole and out through the starting hole in the sole. Go in through the top hole, cross over to the next bottom hole and repeat the stitch again. Do this all the way around the moccasin joining the vamp to the sole in this manner. Attach another needle to piece of thread and wittwo holes in the varemaining, over-lap the othe inside. Double loop with the thread going the inside. Make an "inside with the thread of the next hole up, with the shown.

#### DIRECTION

Choose a good leather for making your moccasins, one that is durable and soft. You can cut your own insoles if you have the foam rubber material or use the ones found in the drug stores. You might even wish to stitch a heavier sole to the bottom.

Glue the insole in position on the inside of the sole leather as shown. In stitching these moccasins the tightness of the stitching will help to determine the size and fit. Check moc on your foot as you stitch. Remember they can always be retightened if they become too loose.


Start by cutting out the pattern designs and punch all the holes. Add the Indian design or make your own, but do this before you begin the stitching. Use a good heavy waxed thread for stitching the vamp and sole together. A light weight or medium thread may be used in stitching the tongue and cuffs to the vamp.

With the insole in position, st stitching by inserting the thread inside out through the starting ho bottom of the vamp, then throstarting hole in the sole. Now go back inside of the vamp through the cross-over and down through the nex hole and back through to the outsi Keep repeating this step till you gway around the moccasin as shown


Now join the heel together as state 5 and 6.

Insert the drawsting through bot holes in the tongue on one side, through the outside holes of the tongo through the drawstring tunnel to on the outside of the foot. Go thr vamp and in through the cuff on the the foot. Continue through the d tunnel back to the tongue area again.

o the first th the last amp sides utside over each hole rough into K" on the oming out he threads



Continue making the "X's" on the inside and outside of the leather till you reach the top holes. There make a double loop horizontal, tying off on the inside.



art your from the le in the ough the c into the top hole, t bottom ide again. o all the in Fig. 4.

d in Figs.

h center and out que. Now the heel. ough the inside of rawstring in. Once

there, go in through the outside holes of the tongue and back out through the other center holes again. Tie-off the drawstring to fit the foot and your moccasin is complete. See Fig. 5 for drawstring.

If you have checked the moccasin on your foot while stitching, this moccasin should fit very comfortably.

A NOTE here; if your foot is too large for one pattern and too small for the next larger size, you may move the double holes around the vamp closer to the edge of the tracing pattern. Just remember to keep the same number of holes in the soles of the moccasins.

