

Doodle Page Digital Download

This PDF file contains 1 (one) Doodle Page. The PDF has been put together to give you options when it comes to printing. Pages and patterns that are larger than 8½x11 have been provided in two formats:



1) Full Size

If you would like to have a full size print out, take the full size pages to your local print shop and they can print it for you. All full size Doodle Pages are 11x17



2) Tiled

The tiled pages give you the option of printing the full sized Doodle Pages at home. You print the tiled pages and then assemble them to make the larger patterns.

The Doodle Page PDF files are typically laid out like this:

 $Front-full\ sized,\ front-tiled,\ back-full\ sized,\ back-tiled$


(Some Doodle Pages do not have backs)

Please note: When printing on a home printer, the edges may get cut off. To avoid this, make sure "Page Scaling" is set to "Shrink to Printable Area" in the Adobe Reader print dialogue box. This will decrease the size of the Doodle Page a very small amount.



You may take this PDF file to your local print shop to have the full-size pages printed for your own personal use.






MEASURE THE WAIST.

Figure 2.

CUT BELT STRIP AND BILLETS. (SEE LAYOUT.



MARK SNAP HOLES AND

Figure 4.

SKIVE BILLET FOR BUCKLE

Figure 5.


Figure 6.

PUNCH HOLES IN BUCKLE END.

CUT SLOT FOR BUCKLE








HOW MAKE BELT

STEP STEP




Figure 7. SET SNAPS IN BUCKLE END




USE EDGER #2 or #3.

Figure 9.


MOISTEN OR CASE THE



USE #4 OR #5 CREASER TO MARK BORDER LINE.



TRANSFER DESIGN TO





APPLY DRESSING AND



DOODLE PAGE of the MONTH

EACH A LESSON.

TOOLS, AND NEW IDEA

IN GENERA

IN ITSELF

DOODLE PAGES ARE FREE WITH PURCHASES AT YOUR CRAFFOOL

DEALER ASK FOR

Due to the many requests from the Craft Teachers and Dealers for Doodle Pages that show the step by step method of working with leather. We have, with this, the last of four pages of this series, shown how to carve and assemble a billfold, a key case and a belt. If you haven't received these pages it is suggested that you do so at once. At the same time order a copy of Lucky 8 Belt Book. It will prove of real help and answers all the questions on making belts.

Step 1 shows how to measure the waist size. This is very important! Next the size buckle determines the width of the billets.

Step 3. It is suggested that you make a cardboard cutting pattern for both ends of the belt using the layout at left. Photos 2 and 3 shows the cutting pattern being used.

Step 4. Shows the "skife" being used to thin down the buckle end of the belt. Be sure to dampen the leather before making the sharp bend.

Step 5. Shows the punching of the holes for the snaps. When installing snaps on the belt be sure that the crowns or buttons are on the end (just reverse of the snap on a keycase).

Step 6. To make the slot for the tongue of the buckle punch two size No. 3 holes then cut two straight cuts as shown.

Step 7. Shows using Craftool No. 51 Snap Setter to set the snaps. If you have trouble refer to last month's Doodle Page, Lucky 8 Belt Book, a brand new text book on belts by eight of the top carvers will prove invaluable to the craft.

Step 8. Using Craftool #2 Edger on all four edges is a must for un-edged belts will soon wear out the belt loops on your garments.

Step 9 to 13. Depict the casing, tracing and carving operations. Here again we suggest referring to Lucky 8 for detailed instructions.

TIP. Use the Craftaids listed on the back of this Page to take orders for your work. This page, together with last months Doodle Page, offers a complete selection.

> Yours for better craft CRAFTOOL CO.






Figure 5.

PUNCH HOLES IN BUCKLE



Figure 6.

CUT SLOT FOR BUCKLE TONGUE.

HOW TO MAKE

BELT

STEP





Figure 12.



Figure 13.

DECORATE THE DESIGN WITH THE STAMPING TOOLS. APPLY DRESSING AND



BELTS-STEP BY STEP

Due to the many requests from the Craft Teachers and Dealers for Doodle Pages that show the step by step method of working with leather. We have, with this, the last of four pages of this series, shown how to carve and assemble a billfold, a key case and a belt. If you haven't received these pages it is suggested that you do so at once. At the same time order a copy of Lucky 8 Belt Book. It will prove of real help and answers all the questions on making belts.

Step 1 shows how to measure the waist size. This is very important! Next the size buckle determines the width of the billets.

- Step 3. It is suggested that you make a cardboard cutting pattern for both ends of the belt using the layout at left. Photos 2 and 3 shows the cutting pattern being used.
- Step 4. Shows the "skife" being used to thin down the buckle end of the belt. Be sure to dampen the leather before making the sharp bend.
- Step 5. Shows the punching of the holes for the snaps. When installing snaps on the belt be sure that the crowns or buttons are on the end (just reverse of the snap on a keycase).
- Step 6. To make the slot for the tongue of the buckle punch two size No. 3 holes then cut two straight cuts as shown.
- Step 7. Shows using Craftool No. 51 Snap Setter to set the snaps. If you have trouble refer to last month's Doodle Page, Lucky 8 Belt Book, a brand new text book on belts by eight of the top carvers will prove invaluable to the craft,
- Step 8. Using Craftool #2 Edger on all four edges is a must for un-edged belts will soon wear out the belt loops on your garments.

Step 9 to 13. Depict the casing, tracing and carving operations. Here again we suggest referring to Lucky 8 for detailed instructions.

TIP. Use the Craftaids listed on the back of this Page to take orders for your work. This page, together with last months Doodle Page, offers a complete selection.

> Yours for better craft CRAFTOOL CO.